

TrojanUV: Trusted around the world

The Trojan name inspires water confidence around the world. In over 50 countries, our UV systems are treating and purifying water in thousands of cities, communities, industries and homes for literally millions of people. Every day, Trojan UV systems treat more than 26 billion gallons of water.

The TrojanUVMax™ uses the same proven UV technology and expertise that we build into the systems that purify the leading brands of bottled water and the drinking water of large cities like Seattle, Washington. Enjoy that same confidence in the water you and your family drink with the TrojanUVMax™.



Trojan builds the large UV systems used to purify many of the leading brands of bottled water, as well as the municipal drinking water of many cities.

Comprehensive 3-Year Warranty

Trojan guarantees the structural, hardware, and electrical components of the TrojanUVMax™ product line to be free of material defects for three years. Lamps and sensors are guaranteed for one year. See full warranty at www.trojanuv.com for a complete set of terms.

TROJAN UV™

www.trojanuv.com
T. 519.457.3400



Printed in Canada. Copyright 2008, Trojan Technologies. Products in this brochure may be covered by one or more of the following patents: Can. 2,160,729 U.S. 5,471,063 U.S. 5,504,335 U.S. 5,514,871 Other patents pending.

R-CA0024-0808



TROJAN UV MAX™

Protect MORE than just your drinking water.
Purify water for your entire home.

Is your water safe?

How safe is the water you drink? Do you really know for sure? If your home relies on a private water supply – whether it is a well, spring, lake or river – the quality of the water you and your family drink varies from day to day. Heavy rainfalls or melting snow can affect its purity. Agricultural run-off and distant sources of contamination can leach into groundwater over time and impact wells miles away. The simple fact is – water that has been safe for years will not necessarily be safe tomorrow.


Bad water test?

20% to 40% of wells are contaminated

Water quality studies commonly find that between 20 and 40 percent of wells in any given area are contaminated with *E. coli* or coliform bacteria. Unfortunately, most people don't take precautions until they've experienced a bad water test. And then, the typical response is to simply pour chlorine bleach into their well. Using chemicals for disinfection is a short term solution. More importantly, chemicals can produce carcinogenic by-products and affect the taste and odor of your water.

Boil water advisory?

Township and city-managed water supplies aren't failsafe, either. Boil water advisories are becoming more common. Beyond the inconvenience they cause, such advisories are a clear warning that the clean water we've taken for granted is becoming a scarce resource.



Cryptosporidium (left), the microorganism responsible for 50 deaths and widespread illness when it contaminated Milwaukee's drinking water supply in 1993, is almost completely resistant to chlorine. *Giardia* (right), causes gastrointestinal complications commonly known as beaver-fever, and is also highly resistant to chlorine.

Only UV fully protects you from bacteria and viruses



Ultraviolet (UV) Light



Highly Effective

Trojan UV systems treat the water for the whole home, eliminating 99.99% of bacteria and viruses including chlorine-resistant cysts that are not tested for in routine water tests (such as *Cryptosporidium* and *Giardia*).



Chemical Disinfection



Not effective

against *Cryptosporidium* and *Giardia*



Water Filtration



Not effective against bacteria, viruses and other harmful microorganisms



Reverse Osmosis (R/O)



Not recommended for use with water that is microbiologically unsafe or of unknown quality

How does UV work?

The germicidal energy of ultraviolet light destroys illness-causing microorganisms by attacking their genetic core (DNA). This powerful dose of UV light eliminates their ability to reproduce, and the organisms simply die.

Water is purified by running it through a watertight chamber that contains an ultraviolet lamp. As water flows past, microorganisms are exposed to a lethal dose of germicidal UV energy.

TROJAN UV MAX™

The proven way to safeguard your family's drinking water. Install a TrojanUVMax™ water purification system and drink with confidence. You no longer have to be concerned about bad water tests, boil water advisories, or contamination by harmful microorganisms. The TrojanUVMax™ uses the same proven UV technology that we build into our large systems that purify the leading brands of bottled water and the drinking water of major cities. Tens of thousands of TrojanUVMax™ systems are at work protecting the water in homes, cottages, schools, daycare centers and other facilities. Here's why.

Proven 99.99% effective

TrojanUVMax™ systems undergo exhaustive testing and evaluation to ensure they destroy 99.99 percent of harmful microorganisms, including *E. coli*, *Cryptosporidium*, and *Giardia*.

Environmentally-friendly and chemical-free

Purification with the TrojanUVMax™ is a safe, natural process that adds no chemicals and does not affect the taste or odor of your water.

Advanced, space-saving design

Using a sophisticated 3-D modeling process, we've designed a compact UV chamber that delivers maximum purification, and can fit just about anywhere in your home.

Automatic lamp replacement reminder

The helpful lamp timer starts at 365 and counts down the days to annual lamp replacement. An alarm will also sound at this one year mark. Once the lamp is replaced, a press of the lamp timer reset button will restart the countdown.

Confidence in Proper System Operation

Indicator lights on the power supply show the status of each system component. So, at a glance, you can confirm that your water is being purified properly. Warning lights appear when system maintenance is required.

Safe and easy to maintain

Replacing the UV lamp is simple and can be completed in minutes – without tools. A safety cap on the chamber prevents children from accessing the lamp or electrical components. The special lamp plug ensures that no one can power the UV lamp if it's not in the UV chamber.

Stable, energy-efficient power delivery

The electronic power supply accurately maintains lamp intensity during power fluctuations, assuring continuous purification. The energy-efficient system uses about the same amount of energy as a 40 watt light bulb.

Handy Reference Card

Conveniently located behind the power supply, the reference card outlines the most important system functions and maintenance for your quick, on-the-spot questions.



Selecting the right TrojanUVMax™

With an extensive line of TrojanUVMax™ water purification systems to choose from, there's one that's right for your home, cottage, or commercial needs. Because the characteristics of source water vary widely from region to region, it's always a good idea to consult your TrojanUVMax™ retailer or other water professional about proper sizing and installation of your system.

Typical TrojanUVMax™ Installation (not to scale)



MODEL

A

B4

C4

D4/D4 Plus

E4/E4 Plus

F4/F4 Plus

Application*

Single Faucet

Faucet or small cottage

Average home

Average home

Larger than average home

Larger home or commercial application

No-tools maintenance

✓

✓

✓

✓

✓

✓

Constant current electronic power supply

✓

✓

✓

✓

✓

✓

Safety cap & special lamp plug

Safety cap only

✓

✓

✓

✓

✓

Lamp operation indicator

✓

✓

✓

✓

✓

✓

Power supply operation indicator

✓

✓

✓

✓

✓

✓

Sensor operation indicator

--

--

--

D4 Plus

E4 Plus

F4 Plus

Sensor with diagnostic test

--

--

--

D4 Plus

E4 Plus

F4 Plus

Reference card

--

✓

✓

✓

✓

✓

Lamp timer display

--

--

--

✓

✓

✓

Lamp timer reset button

--

--

--

✓

✓

✓

Mute button

--

--

--

✓

✓

✓

Solenoid valve

Optional

Optional

Optional

External control relay

Optional

Optional

Optional

Chamber material

304 SST

304 SST

304 SST

304 SST

316 SST

316 SST

Inlet/Outlet

3/8" FNPT

3/4" NPT

3/4" NPT

3/4" NPT

1" NPT

1" NPT

Chamber dimensions

15.5" x 2.5"
39 x 6.5cm

14.5" x 4"
37 x 10cm

20.5" x 4"
52 x 10cm

20.5" x 4"
52 x 10cm

30" x 4"
76 x 10cm

44.25" x 4"
112.5 x 10cm

Power supply dimensions

2.8" x 3.3"
7 x 8cm

8.5" x 6"
22 x 15cm

8.5" x 6"
22 x 15cm

8.5" x 6"
22 x 15cm

8.5" x 6"
22 x 15cm

8.5" x 6"
22 x 15cm

*To ensure proper performance, water entering a TrojanUVMax™ system should be pre-filtered using a standard 5-micron filter, and meet basic water quality parameters: Iron <0.3 ppm; Hardness <120 ppm (7 GPG); UV Transmittance >75%. A number of factors affect the size of system that is appropriate. Ask your water treatment dealer for details, or try our Model Selection tool at www.trojanuv.com